

TECHNOLOGY IN
PROFESSIONAL TOOLS
FOR ELECTRONICS



JBC TOUCH
PROBABLY THE BEST
SOLDERING STATION IN THE WORLD

www.jbctools.com

JBC Touch

New Modular Station

New TFT station. Access the menu by touching the screen to change parameters. Total soldering control.

TOTALLY CUSTOMIZABLE

Advanced microprocessor allows for a completely personalized station.

Examples include:

- Temperature limits
- Preset one touch temperatures
- Sleep temperature, delay to sleep and delay to hibernation
- Total and partial counters for each port
- Select one of 7 languages: English, French, German, Italian, Spanish, Japanese and Chinese
- Select cartridge from menu to match that used in handpiece to account for slight temperature variations due to different tip geometries
- Lock out system changes with a PIN code
- Quick help features
- JBC full product catalogue



and many more features

Includes "sleep mode" and "hibernation" programming, as well as other features already existing in JBC soldering stations



Frontal USB-A connection:
to download data and update the equipment via pen-drive




INTUITIVE INTERFACE

Enables fast access to main menu for viewing and changing parameters. Obtain information of the power supplied to the tool, temperature of the tip in real time and the tool selected. Selection of the model of cartridge inserted.

Additional features include, power and temperature graphics, clock, calendar, calculator, note book, alarm, unit converter and catalogues and instruction manuals.

FULL COMMUNICATION



Permits connection to other devices like digital thermometer, external thermocouples and future external peripherals.

Connection of the station to Ethernet through the RJ-45 connector enabling software updating, monitoring of the equipment and remote control of all the stations connected to the net.

Connection of robot through connector RJ-12 using the RS-23 protocol

TFT



Swing screen, allowing orientation to suit station positioning.

High resolution 3,5" TFT touch screen allows reproducing of very high quality videos, as well as microscope images via USB,...

CONNECTION



Allows the simultaneous connection of up to 4 tools and 8 peripheral devices such as: desoldering pump, nitrogen module, pedal and fume extractor.

Compatible with the following tools: T210, T245, AP130, HT420, PA120, DR560 and DS360.

The station can be connected to a PC via USB-B enabling software updating, monitoring of the equipment and controlling remotely.

JBC Soldering, S.L.
c. Ramon y Cajal, 3
08750 Molins de Rei - SPAIN
T. +34 93 325 32 00
F. +34 93 680 49 70
info@jbctools.com

