



# FAE1K2

## Fume Extractor Kit for 2 Workbenches

This Plug & Play Guide corresponds to the following references:

Ref.

FAE1-9K2C (100 V)  
FAE1-1K2C (120 V)  
FAE1-2K2C (230 V)

### Station

More Information at the  
product web page



### Video Guide

Watch the  
product video



# Packing List

The following items are included according to purchased reference:



**Fume Extractor** ..... 1 unit  
 Ref. FAE1-9C (100 V)  
 Ref. FAE1-1C (120 V)  
 Ref. FAE1-2C (230 V)

Includes:

- RJ12 Connection Cable ref. 0019751
- USB Connection Cable (USB-A to USB-B) ref. 0021042
- Station Connection Adapter (RJ12 to USB-A) ref. 0023504

**Flexible Hose ø50 mm** ..... 2 units  
 Ref. FAE010



*This cable is required to connect Modular control units and Compact stations from version "F" onwards to FAE1.*

*The cable and the adapter are required to connect Compact stations with version "E" and previous to FAE1.*



**FAE083**  
 Round Metal Nozzle



**Flexible Arm ø50 mm with Clamp** ..... 2 units  
 Ref. FAE070




**Pedal** ..... 1 unit  
 Ref. P405

## Installation

### F AE1K2

Fume Extractor Kit for 2 Workbenches



## Specifications

### **F AE1K2**

#### **Fume Extractor Kit for 2 Workbenches**

Ref. **F AE1-9K2C** (100 V)

Ref. **F AE1-1K2C** (120 V)

Ref. **F AE1-2K2C** (230 V)

- Net Weight:	16.91 kg / 37.28 lb
- Package Dimensions / Weight:	620 x 460 x 825 mm / 24.05 kg
(L x H x W)	24.41 x 18.11 x 32.48 in / 53.02 lb

Complies with CE standards.

ESD safe.

# JBC

### Warranty

Information regarding the warranty of each product can be found on the final page of its instruction manual.



This product should not be thrown in the garbage.

In accordance with the European directive 2012/19/EU, electronic equipment at the end of its life must be collected and returned to an authorized recycling facility.