



FAE1K1

Fume Extractor Kit for 1 Workbench

This Plug & Play Guide corresponds to the following references:

Ref.

FAE1-9K1C (100 V)
FAE1-1K1C (120 V)
FAE1-2K1C (230 V)

Station

More Information at the
product web page



Video Guide

Watch the
product video



Packing List

The following items are included according to purchased reference:



Fume Extractor 1 unit
 Ref. FAE1-9C (100 V)
 Ref. FAE1-1C (120 V)
 Ref. FAE1-2C (230 V)

Flexible Hose ø50 mm 1 unit
 Ref. FAE010

Includes:

- RJ12 Connection Cable ref. 0019751
- USB Connection Cable (USB-A to USB-B) ref. 0021042
- Station Connection Adapter (RJ12 to USB-A) ref. 0023504

This cable is required to connect Modular control units and Compact stations from version "F" onwards to FAE1.

The cable and the adapter are required to connect Compact stations with version "E" and previous to FAE1.




Flexible Arm ø50 mm with Clamp 1 unit
 Ref. FAE070

Pedal 1 unit
 Ref. P405

Installation

FAE1K1
Fume Extractor Kit for 1 Workbench



To Modular control units and Compact stations from version "F" onwards

RJ12 Connection Cable

Alternative connections

To Compact stations with version "E" and previous ones

USB Connection Cable + Adapter

Specifications

FAE1K1

Fume Extractor Kit for 1 Workbench

Ref. **FAE1-9K1C** (100 V)

Ref. **FAE1-1K1C** (120 V)

Ref. **FAE1-2K1C** (230 V)

- Net Weight:	13.9 kg / 30.64 lb
- Package Dimensions / Weight: (L x H x W)	485 x 725 x 760 mm / 19.3 kg 19.09 x 28.54 x 29.92 in / 42.55 lb

Complies with CE standards.

ESD safe.

JBC

Warranty

Information regarding the warranty of each product can be found on the final page of its instruction manual.



This product should not be thrown in the garbage.

In accordance with the European directive 2012/19/EU, electronic equipment at the end of its life must be collected and returned to an authorized recycling facility.