

INSTRUCTION MANUAL



DT100

Box with Accessories for DT530

This manual corresponds to the following reference:

DT100

Packing List

The following items are included:



Metal Box with Accessories* 1 unit

Ref. DT100 - incl. the listed accessories: ----

*Also available: JBC Metal Box for Accessories Ref. BX20 - without accessories





Glass Solder-Collector* 2 units

*available as ref. DT20 (ref. contains 2 collectors)



Metal Solder-Collector* 2 units

*available as ref. DT25 (ref. contains 2 collectors)



Heat-Resistant Gripper 1 unit Ref. DT60





Spanner 1 unit Ref. DT50



Frontal Gasket* 5 units

*available as ref. DT30 (ref. contains 10 gaskets)



Rearward Gasket* 5 units

*available as ref. DT35 (ref. contains 10 gaskets)



Wool Filter* 10 units

*available as ref. DT10 (ref. contains 10 wool filters)



Brass-Wool
Prefilter* 10 units

*available as ref. DT11 (ref. contains 10 prefilters)



Paper Prefilter* 10 units

*available as ref. DT13 (ref. contains 10 prefilters)



Metal-Sheet
Prefilter* 2 units

*available as ref. DT12 (ref. contains 10 prefilters)



Cleaning Brush 1 unit Ref. CL8297



Metal Brush* 1 unit Ref. CL6217



Helical Tip-Cleaning Rods 1 unit Ref. CL5760



Tip Cleaning Rods 1 unit Ref. CL5970



Precision Allen Screwdriver 2.5 1 unit Ref. 0033474

Specifications

DT100

Box with Accessories for DT530

Ref.: DT100

- Box Dimensions: 203 x 127 x 45 mm (L x W x H) 7.99 x 5 x 1.77 in

- Net Weight: 354 g / 0.78 lb

- Package Dimensions / Weight: 245 x 185 x 45 mm / 457 g
 (L x W x H) 9.65 x 7.28 x 1.77 in / 1.01 lb

Complies with CE standards.



Warranty

JBC's 2 year warranty covers this equipment against all manufacturing defects, including the replacement of defective parts and labor.

Warranty does not cover product wear or misuse. In order for the warranty to be valid, equipment must be returned, postage paid, to the dealer where it was purchased.



This product should not be thrown in the garbage.

In accordance with the European directive 2012/19/EU, electronic equipment at the end of its life must be collected and returned to an authorized recycling facility.

