



FAE1 KIT2

Fume Extractor Kit for 2 Workbenches

This Plug & Play Guide corresponds to the following references:

Ref.

FAE1-9K2D (100 V)
FAE1-1K2D (120 V)
FAE1-2K2D (230 V)

Information

Web page of the latest
product version



Video Guide

Watch the
product video



Packing List

The following items are included according to purchased reference:



Fume Extractor 1 unit
 Ref. FAE1-9C (100 V)
 Ref. FAE1-1C (120 V)
 Ref. FAE1-2C (230 V)

Flexible Hose ø50 mm 2 units
 Ref. FAE010

Includes:

- RJ12 Connection Cable ref. 0019751

This cable is required to connect Modular control units and Compact stations from version "F" onwards to FAE1.

- USB Connection Cable (USB-A to USB-B) ref. 0021042

- Station Connection Adapter (RJ12 to USB-A) ref. 0023504

The cable and the adapter are required to connect Compact stations with version "E" and previous to FAE1.



FAE093
Cylindric Nozzle




Flexible Arm ø50 mm with Clamp 2 units
 Ref. FAE072

Pedal 1 unit
 Ref. P405

Installation

FAE1K2
Fume Extractor Kit for 2 Workbenches



Specifications

FAE1 KIT2

Fume Extractor Kit for 2 Workbenches

Ref. **FAE1-9K2D** (100 V)

Ref. **FAE1-1K2D** (120 V)

Ref. **FAE1-2K2D** (230 V)

- Net Weight:	16.91 kg / 37.28 lb
- Package Dimensions / Weight:	620 x 460 x 825 mm / 24.14 kg
(L x H x W)	24.41 x 18.11 x 32.48 in / 53.22 lb

Complies with CE standards.
ESD safe.

JBC

Warranty

Information regarding the warranty of each product can be found on the final page of its instruction manual.



This product should not be thrown in the garbage.
In accordance with the European directive 2012/19/EU, electronic equipment at the end of its life must be collected and returned to an authorized recycling facility.