





SRS SMD Rewok System

This Plug & Play Guide corresponds to the following references:

Ref.

SRWS-9SC (100 V) SRWS-1SC (120 V) SRWS-2SC (230 V)

Station

More Information at the product web page



Packing List

The following items are included:







Ref. PHSE-2KB (230 V)







JTSE
Power Hot Air Station 1 uni
Ref. JTSE-9B (100 V)
Ref. JTSE-1B (120 V)
Ref. JTSE-2B (230 V)

PHSEK
Preheater Set for PCBs
up to 13 x 13 cm / 5 x 5" 1 unit
Ref. PHSE-9KB (100 V)
Ref. PHSE-1KB (120 V)


RWS
Adjustable Rework Arm
for PHSE 1 unit
Ref. RWS-D

Workplace Example





Connection Map



Specifications

SRS

SMD Rework System
Ref. SRWS-9SC (100 V)
Ref. SRWS-1SC (120 V)
Ref. SRWS-2SC (230 V)

- Package Dimensions / Weight: (L x H x W)

700 x 410 x 390 mm / 23.1 kg 27.56 x 16.14 x 15.35 in / 50.93 lb

Complies with CE standards.

ESD safe.



Warranty

Get 2 year JBC warranty by registering here: https://www.jbctools.com/productregistration/within 30 days of purchase.



This product should not be thrown in the garbage.

In accordance with the European directive 2012/19/EU, electronic equipment at the end of its life must be collected and returned to an authorized recycling facility.